

Breeze

Seating Capacity	7 Adults
Dimensions	83.75" x 83.75" x 36", (213 cm x 213 cm x 91 cm)
Corner Radius	9" (23 cm)
Dry Weight	590 lbs (268 kg)
Filled Weight (Average Fill)	3,205 lbs (1,454 kg)
Water Capacity (Average Fill)	315 US gallons (1,192 Liters)
Shipping Weight	590 lbs (268 kg)
Export Shipping Weight:.....	640 lbs (290 kg)
Electronic Controls	Programmable digital panel with LED readout
Pump 1	North America (60 Hz): 2-Speed, 3.6 HP break, 2.0 HP continuous, 48 Frame
Export (50 Hz):.....	2-Speed, 2.0 HP continuous
Pump 2	North America (60 Hz): 1-Speed, 3.6 HP break, 2.0 HP continuous, 48 Frame
Export (50 Hz):.....	1-Speed, 2.0 HP continuous
Circulation Pump	Optional with ClearZone Pro package
Filtration (factory default)	2 Cycles for a total of 2 hours
Heater	4.0 kW
Export (50Hz).....	2.0 kW
Total @Home Jets	35
Seat 1 Jets	3 Cluster Storm Directional, 2 Mini Storm Rotator
Seat 2 Jets	2 Cluster Storm Rifled
Seat 3 Jets	2 Power Storm Massage, 1 Power Storm Directional Twirl, 2 Mini Storm Rotator
Seat 4 Jets	2 Mini Storm Directional
Seat 5 Jets	7 Cluster Storm Pulsator
Seat 6 Jets	4 Cluster Storm Directional, 2 Power Storm Twister
Footwell (7)	8 Cluster Storm Directional
Massage Selectors	None
Special Features.....	Tactile Therapy
Water Management System	One 75 ft ² filter cartridge; 8" Weir
Optional	ClearZone® Pro Water Purification System
LED Lighting	One multi Color LED footwell light
Optional	Crystal FX
Synthetic Cabinet Colors.....	Adobe Tan, Stoneridge Grey, Mayan Brown
Terracina Cabinet (Optional).....	Driftwood, Cherry, Summer Pine, Vintage Cedar, Midnight Maple
Acrylic Colors	UltraLife, Moonstone, Sand, Sunstone, Smoked Marble, Blue Topaz, Gray Marble, Desert Stone
Headrests	4
Water Feature	Water fountain with independent flow rate (on or off) adjustment; powered by pump 1
Electrical Requirements:	North America (60 Hz): 240 VAC@30A or 40A Export (50 Hz): 230 VAC@1x16A, 1x32A, 2x16A, 3x16A or suitably rated circuit breaker to comply with local electrical codes. Certain countries may require dual power inputs
Warranty*	North America (60 Hz): Lifetime for UltraLife Shell Surface, 5 Years Acrylic Shell Surface, 3 Years Plumbing, 3 Years Equipment and Controls, 7 Years Cabinet, 1 Year Water Purification System, 2 Years for Jet Insert, 1 Year for Jet Escutcheon, 1 Year Lights, 6 Months for Stereo; Export (50 Hz): 10 Years for UltraLife Shell Surface, 5 Years Acrylic Shell Surface, 2 Years Plumbing, 2 Years Equipment and Controls, 2 Years Cabinet, 1 Year Water Purification System, 2 Years for Jet Insert, 1 Year for Jet Escutcheon, 1 Year Lights, 6 Months for Stereo
Audio System (Optional)	Stereo system with Bluetooth capability; 2 premium speakers and a subwoofer




**Optional
escutcheon jets**

*(See Warranty Document for Specific Details)

Breeze

Jet Designation



Dimensions/Operation/Specifications are Subject to Change Without Notice

35 Total Jets (textured)





Total Jets



Breeze

Front View of Spa



Notes: Unless otherwise specified:

1. Subject to change without notice.
2. Engineering specs may differ slightly from brochure.
3. For E-Z lifter installation allow 18" (45.7 cm) clearances on the backside of the spa.
4. Alternative cabinets may add significant weight. Ask your dealer for exact details.



*Caution:

Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. **If site planning is critical to such tolerances, be sure to measure your actual spa.**

Dimensions/Specifications are Subject to Change Without Notice (Tolerance $\pm 0.5"$ [1.27 cm]).